




POS	PART NO	DESCRIPTION	REMARKS
1	27.0326.000K	MOUNT compl.	
2	900.0497	SCREW	
3	900.2008	WASHER	
4	27.0215	WASHER	
5	120.0055.000K	MOUNT assy.	
6	900.0035	SCREW	
7	27.0739	SEALING	
8	27.0170.002	VALVE compl.	Half-threading
9	900.6101	EYELET	
10	27.0547.001	COVER compl.	Manual threading.
11	900.6101	EYELET	
12	900.9296	CONNECTOR	
13	900.5189	PLUG	
14	900.0117	SCREW	
15	27.0672.001	SENSOR compl.	
16	900.3097	PIN	
17	27.0397	SENSOR HOUSE	
20	27.0654	SENSOR ARM, yarnbreak compl.	
21	27.0655	SENSOR ARM, min. compl.	
22	27.0656	SENSOR ARM, max. compl.	
26	27.0572.001	COVER compl.	
27	900.0509	SCREW	
28	27.0575	SPRING PLATE	
29	27.0571	COVER	
30	27.0574	CLIP	
31	27.0570	ADJUSTMENT SCREW	
32	27.0190	SEAL	
33	27.9133.0001	CIRCUIT BOARD Compl.	
34	27.0674	SPRING PLATE	
35	900.0426	SCREW	
36	27.0730	PROTECTION COVER	
37	900.0426	SCREW	
38	27.0556.001	TRANSISTOR PLATE	
39	900.0426	SCREW	
40	900.0504	SCREW	
41	27.0731	COOLING PLATE	
42	27.0142	CONNECTOR	
43	27.0716.022L	TOP COVER assy.	Manual and half-threading
44	27.0331	MAGNET HOLDER, on/off	
45	27.0150.140L	TOP COVER	
46	24.0048	FRAME	
47	24.0047	SWITCH, on/off	
48	27.0143	INDICATOR COVER	
49	24.0049	SWITCH, max speed	
50	27.0332	MAGNET HOLDER	
51	27.0676.1200	CABLE 1,2 m	
51	27.0676.1750	CABLE 1,75 m	
52	900.9355	O-RING	
53	900.0212	SCREW	
54	27.0724.001	SWITCH, S/Z compl.	
55	900.9104	O-RING	
56	900.0302	SCREW	
57	27.0491.001L	CYLINDER compl.	Manual and half-threading



POS	PART NO	DESCRIPTION	REMARKS
58	27.0226	NUT	
59	27.0519.001	CYLINDER assy.	Manual and half-threading
60	27.0490	LOCATING DOGS	
61	900.9058	CIRCLIP	
62	900.2153	WASHER	
63	27.0293.000L	NOSE SUPPORT	
64	900.9365	O-RING	
65	27.0055	HANDLE	
66	27.0056	KNOB	
67	900.4002	BALL	
68	804.1075	SPRING	
69	900.0447	SCREW	
70	900.0496	SCREW	
71	27.0492.005	BRUSH SOFT, natural, straight.	
71	27.0492.105	BRUSH SOFT, natural, z-rotation.	
71	27.0492.205	BRUSH SOFT, natural, s-rotation.	
71	27.0492.002	BRUSH MEDIUM, natural, straight.	
71	27.0492.102	BRUSH MEDIUM, natural, z-rotation.	
71	27.0492.202	BRUSH MEDIUM, natural, s-rotation.	
71	27.0492.003	BRUSH STIFF, natural, straight.	
71	27.0492.103	BRUSH STIFF, natural, z-rotation.	
71	27.0492.203	BRUSH STIFF, natural, s-rotation.	
71	27.0492.001	BRUSH SOFT, synthetic, straight.	
71	27.0492.101	BRUSH SOFT, synthetic, z-rotation.	
71	27.0492.201	BRUSH SOFT, synthetic, s-rotation.	
71	27.0492.006	BRUSH MEDIUM, synthetic, straight.	
71	27.0492.106	BRUSH MEDIUM, synthetic, z-rotation.	
71	27.0492.206	BRUSH MEDIUM, synthetic, s-rotation.	
71	27.0492.004	BRUSH STIFF, synthetic, straight.	
71	27.0492.104	BRUSH STIFF, synthetic, z-rotation.	
71	27.0492.204	BRUSH STIFF, synthetic, s-rotation.	
72	27.0524.001	E-FLEX 30° SOFT (Rapier)	Black colour (Strip only = 27.0438.001)
72	27.0573.102	E-FLEX 30° MEDIUM (Rapier)	Blue colour (Strip only = 27.0438.002)
72	27.0585.002	E-FLEX 30° STIFF (Rapier)	Red colour (Strip only = 27.0438.002)
72	27.0585.103	E-FLEX 30° EXTRA STIFF (Rapier)	Grey colour (Strip only = 27.0438.003)
72	27.0596.001	E-FLEX 42° SOFT (Projectile)	Black colour (Strip only = 27.0541.001)
72	27.0596.102	E-FLEX 42° MEDIUM (Projectile)	Blue colour (Strip only = 27.0541.002)
72	27.0734.002	E-FLEX 42° STIFF (Projectile)	Red colour (Strip only = 27.0541.002)
72	27.0734.103	E-FLEX 42° EXTRA STIFF (Projectile)	Grey colour (Strip only = 27.0541.002)
73	27.0719.001	LAMELLA BRAKE, soft Z-rotation, Compl.	
73	27.0719.002	LAMELLA BRAKE, medium Z-rotation, Compl.	
73	27.0719.003	LAMELLA BRAKE, stiff Z-rotation, Compl.	
74	27.0721	LOCKING RING	
75	27.0480.002	LAMELLA SOFT	
75	27.0480.003	LAMELLA MEDIUM	
75	27.0480.004	LAMELLA STIFF	
76	27.0720	BASKET	
77	27.0479.001	EYELET	
78	27.0597.001	NOSE EXTENDER 30° compl.(Rapier)	
78	27.0144.100L	NOSE Compl. 30° included Pos. 78,83,84,85	Extra polish version = 27.0144.101L
79	900.6163.001	EYELET	
80	27.0465.001	NOSE EXTENDER 42° compl. (Proj)	



POS	PART NO	DESCRIPTION	REMARKS
80	27.0144.000L	NOSE Compl. 42° included Pos. 80,83,84,85	Extra polish version = 27.0144.001L
81	900.6163.001	EYELET	
82	27.0149.001	HOSE	
83	27.0292.000L	NOSE HOUSING	
84	900.6163.001	EYELET	
85	900.0495	SCREW	
86	27.0712.001K	MOTOR compl.	
87	900.4061	BEARING	
88	900.0529	SCREW	
89	27.0713.001K	MOTOR WITH STATOR	
90	27.0689	ROTOR compl.	
91	900.9314	KEY	
92	27.0168	MOTOR FLANGE	
93	900.0075	SCREW	
94	900.4064	BEARING	
95	900.9014	CIRCLIP	
96	900.9017	CIRCLIP	
97	27.0166.003	MAGNET RING	
98	900.0075	SCREW	
99	900.6160	EYELET	
100	900.0117	SCREW	
101	27.0708.001	WINDING DISC compl.	
102	25.0078	EYELET	
103	25.0081.001	EYELET HOLDER	
104	27.0714.201	SPOOLBODY assy	
105	27.0157	MAGNET RING compl.	
106	900.4064	BEARING	
107	27.0108	SPACER	
108	27.0208	EARTH STRIP	
109	31.0641	THREAD INSERT	
110	900.4064	BEARING	
111	900.5197	STRAP	
112	27.0077	BELLOWS	
113	27.0070	BELLOWS HOLDER	
114	27.0232.003	TUMBLE CYLINDER compl.	
115	27.0429.002	INCLINED HUB compl.	
116	27.0393	WASHER	
117	27.0330.000	TUMBLE CYLINDER assy.	
118	900.4063	BEARING	
119	120.0024	SPACER	
120	900.4063	BEARING	
121	27.0224	S/Z WASHER	
122	120.0042	NUT	
123	900.0153	SCREW	
124	27.0078	BELLOWS	
125	900.9055	CLIP	
126	900.0327.001	SCREW	
127	27.0361.010	SPOOLBODY	
128	27.0696	INSERT	
129	27.0163	SPRING	
130	27.0207	S/Z BUTTON	
131	27.0158	BALANCE WEIGHT	



PAGE  
4 (3)

Spare parts list for Stella 290 6127.20/21/22/23/24.XXC  
The position numbers correspond to ref. No. 27-891S-2001-  
01/0321 exploded view.

REF. NO.  
27-892S-2001-  
03/0703



POS	PART NO	DESCRIPTION	REMARKS
132	24.0137	SPRING WASHER	
133	24.0134	SCREW	
134	27.0160	CONE	
135	24.0174	THREADING NEEDLE	